



M/s. WIRELESS AMATEURS



"SHAILA" BRAND ELECTRIC POTTERY WHEEL

16/4, NEAR D-MART, SAMBHAJI CHOWK,

ICHALKARANJI - 416115

DIST- KOLHAPUR, MAHARASHTRA

MOB.NO. 9822044609 / 9158801537

E-MAIL - wirelesspatil95@gmail.com

Website- www.shailapottery.com



AWARDED BY INVENTION
PROMOTION BOARD
NEW DELHI - 1971

FIE FOUNDATION AWARD - 1990

SHAILA WHEEL IS TECHNICALLY
APPROVED BY KVIC
(KHADI & VILLAGE COMMISSION)
MUMBAI



Khadi India

GST No. 27AIGPP7984A1ZY

FIND US ON:    SHAILA POTTERY WHEEL

MODEL WA-1



Specification-

MODEL WA-1

1. Shaila wheel works on specially designed **1/8 H.P. single phase A.C. 230V** capacitor start vertical motor.
2. Specially designed **2-stage gear box** is attached to vertical motor for reducing speed of the wheel & increasing clay load carrying capacity of the wheel.
3. Motor is fitted in square sheet metal box attached with S.S. tray on top.
4. Working plate made from cast Iron of 12" diameter is fitted at top of the box.
5. Overall size L- 15", B- 15", H- 16" & Weight- 55 Kg. (Approx.)

Features-

1. **Rotary switch is provided to get three different constant speeds as 40 RPM, 80 RPM, 160RPM.**
2. **Clay load carrying capacity is around 50 Kg. (Approx.)**
3. No vibration & no speed reduction during shaping the articles.
4. **Auto switch is provided for motor protection.**
5. **Fan is used for cooling the motor.**
6. Box & Tray are powder coated for long life.
7. Easy to operate, portable, robust construction to withstand rough handling.
8. **Low electricity consumption. (1 Unit for 8 Hrs.)**

प्रमुख विशेषताएं-

- १) "शैला" चाक में विशेष रूप से डिज़ाइन किये गए **१/८ एच.पी. सिंगल फेज २३० वोल्ट्स** की मोटर है।
- २) विशेष रूप से डिज़ाइन किये गए **टू स्टेज गियर बॉक्स** को मोटर से जोड़ा है ताकि चाक की लोड कैपेसिटी बढ़े।
- ३) मोटर को मेंटल के चौक बॉक्स में फिट किया गया है और ऊपर स्टेनलेस स्टील ट्रे को जोड़ा है।
- ४) १२" व्यास वाले लोहे से बनी वर्किंग प्लेट को बॉक्स के ऊपर लगाया है।
- ५) चाक का कुल वजन ५५-६० किलोग्राम है और चौड़ाई १५", लंबाई १५", उंचाई १६" है।

विशेष वर्णन-

- १) रोटरी स्विच से तीन अलग - अलग गतियों को नियंत्रित किया जाता है।
स्पीड – ४० आरपीएम, ८० आरपीएम, १६०आरपीएम ।
- २) चाक के ऊपर लगभग **५०किलोग्राम** तक मिट्टी डालकर बर्तन बना सकते है।
- ३) बर्तन बनाने के दौरान कोई कंपन और गती मे कमी नहीं आती ।
- ४) मोटर के प्रोटेक्शन के लिये ऑटो स्विच दिया गया है।
- ५) मोटर को ठंडा रखने के लिए कूलिंग फैन दिया है।
- ६) बॉक्स और ट्रे को पाउडर कोटिंग किया है।
- ७) चाक चलाने के लिये आसान पोर्टबल और मजबूत है।

८) बिजली की खपत कम है।(१ युनिट ८ घंटे के लिये।)

MODEL WA-2



Specification-

MODEL WA-2

1. Shaila wheel works on specially designed **1/8 H.P. single phase A.C. 230V** capacitor start vertical motor.
2. Specially designed **single stage gear box** is attached to vertical motor for reducing speed & increasing clay load carrying capacity of the wheel.
3. Motor is fitted in round sheet metal box attached with S.S. tray on top.
4. Working plate made from cast Iron of 12" diameter is fitted at top of the box.
5. Overall size L- 19", B- 19", H- 13" & Weight 36-40 Kg. (Approx.)

Features-

1. Rotary switch is provided to get three different constant speeds as

Normal Speed Model - 75 RPM, 100 RPM, 150 RPM OR

High Speed Model - 110 RPM, 160 RPM, 220 RPM.

2. Clay load carrying capacity is around 25 to 30 Kg. (Approx.)

3. No vibration & no speed reduction during shaping the articles.

4. Auto switch is provided for motor protection.

5. Fan is used for cooling the motor.

6. Box & Tray are powder coated for long life.

7. Easy to operate, portable, robust construction to withstand rough handling.

8. Low electricity consumption. (1 Unit for 8 Hrs.)

प्रमुख विशेषताएं-

१) "शैला" चाक में विशेष रूप से डिज़ाइन किये गए **१/८ एच.पी. सिंगल फेज २३० वोल्ट्स** की मोटर है।

२) विशेष रूप से डिज़ाइन किये गए **सिंगल स्टेज गियर बॉक्स** को मोटर से जोड़ा है ताकि चाक की लोड कैपेसिटी बढ़े।

३) मोटर को मेंटल के गोल बॉक्स में फिट किया गया है और ऊपर स्टेनलेस स्टील ट्रे को जोड़ा है।

४) १२" व्यास वाले लोहे से बनी वर्किंग प्लेट को बॉक्स के ऊपर लगाया है।

५) चाक का कुल वजन ३५-४० किलोग्राम है और चौड़ाई १९", लंबाई १९", उंचाई १३" है।

विशेष वर्णन-

१) रोटरी स्विच से तीन अलग - अलग गतियों को नियंत्रित किया जाता है।

नॉर्मल स्पीड - ७५ आरपीएम, १०० आरपीएम, १५० आरपीएम।

हाईस्पीड ११० आरपीएम, १६० आरपीएम, २२० आरपीएम।

२) चाक के ऊपर लगभग **२५-३० किलोग्राम** तक मिट्टी डालकर बर्तन बना सकते हैं।

३) बर्तन बनाने के दौरान कोई कंपन और गती में कमी नहीं आती।

४) मोटर के प्रोटेक्शन के लिये ऑटो स्विच दिया गया है।

५) मोटर को ठंडा रखने के लिए कूलिंग फैन दिया है।

६) बॉक्स और ट्रे को पाउडर कोटिंग किया है।

७) चाक चलाने के लिये आसान पोर्टबल और मजबूत है।

८) बिजली की खपत कम है। (१ युनिट ८ घंटे के लिये।)

MODEL WA-3



www.shailapottery.com

Mob.No.

+91-9158801537 / +91-9822044609

Specification-

MODEL WA-3

1. Shaila wheel works on specially designed **1/8 H.P. single phase A.C. 230V** capacitor start vertical motor.
2. Specially designed single **stage gear box** is attached to vertical motor for reducing speed & increasing clay load carrying capacity of the wheel.
3. Motor is fitted in round sheet metal box attached with S.S. tray on top.
4. Working plate made from cast Iron of 12" diameter is fitted at top of the box.
5. Overall size L- 19", B- 19", H- 13" & Weight 36-40 Kg. (Approx.)

Features-

1. **Rotary switch is provided to get three different constant speeds as Normal Speed Model - 75 RPM, 100 RPM, 150 RPM OR High Speed Model - 110 RPM, 160 RPM, 220 RPM.**
2. **Clay load carrying capacity is around 25 to 30 Kg. (Approx.)**
3. No vibration & no speed reduction during shaping the articles.
4. Box is powder coated for long life.
5. Easy to operate, portable, robust construction to withstand rough handling.
6. **Low electricity consumption. (1 Unit for 8 Hrs.)**

प्रमुख विशेषताएं-

- १) "शैला" चाक में विशेष रूप से डिज़ाइन किये गए **१/८ एच.पी. सिंगल फेज २३० वोल्ट्स** की मोटर है।
- २) विशेष रूप से डिज़ाइन किये गए **सिंगल स्टेज गियर बॉक्स** को मोटर से जोड़ा है ताकि चाक की लोड कैपेसिटी बढ़े।
- ३) मोटर को मेंटल के गोल बॉक्स में फिट किया गया है और ऊपर स्टेनलेस स्टील ट्रे को जोड़ा है।
- ४) १२" व्यास वाले लोहे से बनी वर्किंग प्लेट को बॉक्स के ऊपर लगाया है।
- ५) चाक का कुल वजन ३५-४० किलोग्राम है और चौड़ाई १९", लंबाई १९", उंचाई १३" है।

विशेष वर्णन-

- १) रोटरी स्विच से तीन अलग - अलग गतियों को नियंत्रित किया जाता है ।
नॉर्मल स्पीड - ७५ आरपीएम, १०० आरपीएम, १५० आरपीएम ।
हाईस्पीड ११० आरपीएम, १६० आरपीएम, २२० आरपीएम ।
- २) चाक के ऊपर लगभग **२५-३० किलोग्राम** तक मिट्टी डालकर बर्तन बना सकते हैं।
- ३) बर्तन बनाने के दौरान कोई कंपन और गती में कमी नहीं आती ।
- ४) बॉक्स को पाउडर कोटिंग किया है।
- ५) चाक चलाने के लिये आसान पोर्टबल और मजबूत है।
- ६) **बिजली की खपत कम है। (१ युनिट ८ घंटे के लिये।)**

PUG MILL

www.shailapottery.com

Mob.No.

+91-9158801537 / +91-9822044609



PUG MILL

Features-

1. No need for pushing raw material by hand. This feeding work is done by two rotating pulling bars.
2. Capacity / Output of Pug Mill is around **750-1000 kg/hr.**
3. For safety all rotating parts are covered.
4. Provided with 1.5 sq. mm 3 core cable with 16 Amp 3 pin top & length of wire is 3 meter.
5. Low vibration. Easy to operate & robust construction to withstand rough handling.
6. Wheels are provided for easy movement.

Specification-

1. Shaila Pug mill works on **2 H.P. 230 V 1440 RPM Single Phase Motor. (Also Three Phase motor Available)**
2. Overall size L- 48", B- 17.5", H- 39" & Weight- 115 Kg. (Approx.)
3. Feeding hopper size is 8.5" x 8.5".
4. Size of output mould is 120 mm.

प्रमुख विशेषताएं-

- १) पग मिल में मिट्टी को हाथ से धकेलने की जरूरत नहीं पड़ती, मिट्टी को दो घूमते हुए बार अंदर की ओर धकेलते रहते हैं।
- २) पग मिल के इस्तेमाल से एक घंटे में ७५० से १००० किलोग्राम तक मिट्टी को मिक्स किया जा सकता है।
- ३) यह इस्तेमाल में सहज और सुरक्षित है।
- ४) पग मिल में १.५ स्के.मिमी और १६ एम्पियर की ३ कोर केबल की थ्री पिन है। उसकी लंबाई ३ मीटर है।
- ५) मिट्टी को मिक्स करते समय कमसे कम कंपन का अनुभव होता है। यह चलाने के लिए आसान और मजबूत है।

विशेष वर्णन-

- १) "शैला" पग मिल में विशेष रूप से डिजाईन किए गए २ एचपी २३० वोल्ट्स १४४० आरपीएम सिंगल फेज मोटर है। (यह थ्री फेज मोटर में भी उपलब्ध है।)
- २) पग मिल का कुल वजन ११५ किलोग्राम है और चौड़ाई ४८", लंबाई १७.५", ऊंचाई ३९" है।
- ३) फीडिंग हॉपर का साईज ८.५" x ८.५" है।
- ४) आउटपुट मोल्ड का साईज १२० मिमी है।

TURN TABLE /BANDING WHEEL /DECORATING WHEEL /ROTATING WHEEL



Features & Specification-

1. Turn table having cast iron plate of 12" diameter.
2. Plate height is adjustable.

प्रमुख विशेषताएं-

- १) वुडन बैट में १२मिमि की एमडीएच वॉटर प्रूफ प्लाईवुड का इस्तेमान किया गया है ।
- 2) यह वजन मे हल्का तथा आसानी से उपयोग करने में उपयुक्त है।
- ३) वुडन बैट अलग अलग साईज में उपलब्ध है। जैसे १३"से लेकर १८" तक ।

Pottery Tool Kit With Sponge – 8 Pieces



Pottery Tool Kit – 11 Pieces



TERMS & CONDITIONS:

1. Payment:

A. For transport office delivery order is accepted by 100% advance. (If transporter having COD facility then only order will be accepted by 50% advance & remaining 50% at time of delivery by cheque)

B. For home delivery bases (By Courier) order will be accepted along with 50% advance & remaining 50% through Cheque at time of delivery.

2. F.O.R.: Ichalkaranji.

3. Delivery: Seven working days from the date of your confirmation.

4. Freight: To Pay.

5. Guarantee: One year for satisfactory functioning of the machine against defective material and faulty workmanship from the date of supply, but spoiling the machine due to wrong handling & improper maintenance by the operator will have no liability on us.

6. Validity: 31-03-2022.

7. Subject to Ichalkaranji Jurisdiction.

8. We think this much information will satisfy your requirement and we will receive your valuable order. the meantime, if you need any more details, please write us or contact us.

Waiting for your early reply,
Thanking you.
Yours Faithfully

For M/s. Wireless Amateurs,
Proprietor

Phone Pay / Google Pay / Amazon Pay- 9881755655 (Sunanda Dhangonda Patil)

Our bank details are as follow-

Name of the bank- Bank of Maharashtra

Name of A/c holder- M/s. Wireless Amateurs

A/c type- Current account Branch - Ichalkaranji

A/c no. – 60026678741 IFSC Code - MAHB0000085

Name of the bank- State Bank of India

Name of A/c holder- Sunanda Dhangonda Patil

A/c type- Saving account Branch - Ichalkaranji

A/c no. -32537540074 IFSC Code- SBIN0000384



मे. वायरलेस अंमेचर्स

"शैला" ब्रँड विद्युत चाक के उत्पादक

१६/४, संभाजी चौक, डी मार्ट के सामने,
इचलकरंजी- ४१६११५, जीला- कोल्हापुर, महाराष्ट्र
मोबाईल नं. ९८२२०४४६०९ / ९१५८८०१५३७

ई-मेल - wirelesspatil95@gmail.com

Website- www.shailapottery.com



इन्व्हेशन प्रमोशन बोर्ड, नवी दिल्ली
१९७१ पुरस्कार प्राप्त

फाय फौंडेशन, १९९० पुरस्कार प्राप्त

शैला चाक खादी तथा ग्रामोद्योग
आयोगाद्वारा तकनीकी मान्यताप्राप्त है।



GST No. 27AIGPP7984A1ZY

FIND US ON: SHAILA POTTERY WHEEL

We Also Export In All Countries.